Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER:

Commercial Product Name: RISEBRITE Acrylic Paint Set with Canvas – 25Pcs Painting Kit

Includes Mini Easel, Premium Painting Supplies, Brushes, Art Canvases and More | Painting Set for Kids, Beginners, or

RiseBrite

Budding Artists

Unique Product Code: RAP

Trade Name: RISEBRITE Acrylic Paint Set with Canvas – 25Pcs Painting Kit

Includes Mini Easel, Premium Painting Supplies, Brushes, Art Canvases and More | Painting Set for Kids, Beginners, or

Budding Artists

Chemical Composition/Product Form: Dry Pigment, Synthetic Resin Binder

CAS No:

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCES OR MIXTURES AND USES ADVISED AGAINST:

Intended use: Acrylic paint is used for arts and crafts activities. Acrylic paint

is an art supply that can be used for painting on surfaces such as canvas, paper, rocks, ceramic, glass, wood and other

mediums.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Company Name: VES Enterprises, LLC - RISEBRITE

Company Address: RiseBrite 7190 W Sunset Blvd #76B Los Angeles, CA 90046

Business Telephone: +1 424 395 7870

Website: www.risebrite.com

contact@risebrite.com

1.4 EMERGENCY TELEPHONE NUMBERS (24-HOUR EMERGENCY CONTACT):

24-hour Emergency Contact: +1 424 395 7870

SECTION 2: HAZARDS IDENTIFICATION:

2.1 EMERGENCY OVERVIEW: This SDS should be retained and available for employees and

other users of this product. This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (HAZCOM 2012) and Canadian WHMIS regulations (Hazardous

Products Regulations) (WHMIS 2015).

2.2 GHS-US LABELING AND CLASSIFICATION:

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Hazards Classification of Substance: Not classified as hazardous substance

Signal Word (GHS-US):Not RequiredHazards Pictograms (GHS-US)Not RequiredHazard Statements (GHS-US):Not RequiredPrecautionary Statements (GHS-US):Not Required

Storage Statements (GHS-US): Please refer to Section 7 for Storage and Section 13 for

Disposal information.

Disposal Statements (GHS-US): P501: Dispose of contents and/or container in accordance

with local, regional, national and/or international regulation.

Please refer to Section 7 for Storage and Section 13 for

RiseBrite

Disposal information.

Hazard(s) not otherwise classified (HNOC): None Identified

Supplemental Information: None **2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

2.3.1 SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical attention and call a physician if symptoms

develop or persist.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical

attention if irritation develops. Cold water may be used.

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes

with plenty of water for at least 15 minutes. Cold water may be used. Get medical

attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person. Loosen tight clothing such as a collar,

tie, belt or waistband. Get medical attention if symptoms appear.

Chronic: Severe eye exposure may cause blindness. Severe ingestion may result in death.

Severe inhalation may cause lung inflammation and pulmonary edema.

Carcinogenic Effects: Not Available
Mutagenic Effects: Not available
Teratogenic Effects: Not available

RiseBrite

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

DevelopmentalNot availableToxicity:Not availableAdverse effects:Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 TYPE OF PRODUCT:

Mixture

3.2 INGREDIENTS:

NAME	PRODUCT IDENTIFIER CAS NO.	CLASIFICATION GHS	
DRY PIGMENT	-	Not classified as Hazardous	
SYNTHETIC BINDER	-	Not classified as Hazardous	

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

4.1.1 FIRST AID MEASURES GENERAL:

Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)

4.1.2 IN CASE OF INHALATION:

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. In case of breathing difficulties administer oxygen by trained personnel. Seek medical attention immediately

4.1.2 IN CASE OF SKIN CONTACT:

Immediately flush skin with plenty of water for at least 15 minutes. Remove/take off immediately all contaminated clothing. Do not rub the skin and eyes after direct contact with the product. Seek medical attention immediately. Wash contaminated clothing before reuse.

4.1.3 IN CASE OF EYE CONTACT:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minute holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing and immediately get medical attention.

4.1.4 IN CASE OF INGESTION:

RiseBrite

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting. Immediately call a POISON CENTRE or doctor/physician. If swallowed, rinse mouth with water (only if the person is conscious).

4.2 SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED:

4.2.1 SYMPTOMS/INJURIES:

Causes skin and eye irritations. Material may be irritating to the mucous membranes and upper respiratory tract.

4.2.2 SYMPTOMS/INJURIES AFTER INHALATION:

May cause drowsiness or dizziness

4.2.3 SYMPTOMS/INJURIES AFTER SKIN CONTACT:

May cause skin irritation and itching.

4.2.4 SYMPTOMS/INJURIES AFTER EYE CONTACT:

May cause serious eye irritation.

4.2.5 SYMPTOMS/INJURIES AFTER INGESTION:

May cause irritation of the linings of the mouth, throat and gastrointestinal tract. Ingestion may cause nausea, vomiting and diarrhea.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1 SUITABLE EXTINGUISHING MEDIA:

Use the following fire extinguishing media:

Water Spray: YES
Carbon Di Oxide: YES
Alcohol Resistant Foam: YES
Dry Chemical: YES

5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Explosion Hazards:No Information Available

Specific Hazards Arising from the

Chemical: This product is not flammable at ambient temperatures and

atmospheric pressure.

Hazardous Combustion Products: No Information Available

Reactivity: Not Determined

5.3 ADVICE FOR FIRE FIGHTERS:

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Firefighters should wear full firefighting turn-out gear (full Bunker gear) including **NIOSH** approved self-contained breathing apparatus **(SCBA)** with full face piece operated in the pressure demand or other positive pressure mode.

Special protective equipment and

precautions for firefighters: Firefighters must use standard protective equipment including

flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode when fighting

RiseBrite

fires.

Firefighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Use

standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water

sources.

Specific methods: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2 ENVIRONMENTAL PRECAUTIONS:

Prevent further leakage or spillage if safe to do so.

6.3 SPILL AND LEAK RESPONSE:

Small Spills:Ventilate the areaLarge Spills:Ventilate the area

SECTION 7: HANDLING AND STORAGE

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

7.1 PRECAUTIONS FOR SAFE HANDLING: U

Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing dust, fume or vapors. Wear protective gloves. Avoid contact with skin, eyes and clothing. Keep container tightly closed when not in use. Wash thoroughly after handling. Protect from moisture.

RiseBrite

7.1.1 HYGIENE MEASURES: Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving

work.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Technical Measures: Ensure the ventilation system is regularly maintained and

tested. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. A washing facility/water for eye and skin cleaning purposes should be

present. Comply with applicable regulations.

Storage Conditions: Store locked up. Protect from sunlight and do not expose to

temperatures exceeding 50°C/122 °F. Do not handle or store

near an open flame, heat or other sources of ignition.

7.3 SPECIFIC END USE(S):

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

COMPONENT	ACGIH TLV	OSHA PEL	NIOSH IDLH	OEL (TWA)
DRY PIGMENT	NA	NA	NA	NA
SYNTHETIC BINDER	NA	NA	NA	NA

8.2 EXPOSURE CONTROLS:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states(including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000 and European Directives

First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Personal Protective Equipment:

Respiratory protection:

Eye Protection:

Hand Protection:

avoid all unnecessary exposure. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to OSHA regulations. For certain operations, additional personal protection equipment (PPE) may be required i.e. Protective goggle, gloves, protective clothing.

RiseBrite

Wear a self-contained breathing apparatus and appropriate personal protective equipment (PPE) or NIOSH approved respirator. Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals. Care must be taken to assure that any respirator chosen is capable of protecting the user from both ammonia and ethyl alcohol vapors.

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Glove material: Viton (R) Gloves must be inspected prior to use. Replace when worn. Protective gloves against cold (EN 511)

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g. Temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardized conditions according EN 374 the glove manufacturer recommends using the chemical protective glove in practice not longer than 50% of the recommended permeation time.

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Manufacturer's directions for use should be observed because

RiseBrite

of great diversity of types. Suitable gloves tested according EN

374 are supplied

Body Protection: Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as

described in U.S. OSHA 29 CFR 1910.136.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance (Physical State and Color): Colored Viscous Liquids

Odor: Slight

Odor Threshold: Not Available

pH: 7 – 9

Melting/Freezing Point:Not AvailableBoiling Point:Not AvailableFlash Point:Not AvailableEvaporation Rate:Not AvailableFlammability (Solid; Gas):Not Available

Upper/Lower Flammability or

Explosion Limits:Not AvailableVapor Pressure:Not AvailableVapor Density:Not Available

Relative Density: >1.0 at 20°C varies dependent on color and type

Density kg/m3 @ 21.1°C:

Specific Gravity:

Solubility in Water:

Weight per Gallon:

Partition Coefficient (n-octanol/water):

Auto-Ignition Temperature:

Not Available

Not Available

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Decomposition Temperature: Not Available

9.2 OTHER INFORMATION

No additional information is available at this time

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Stable under normal conditions. Hazardous polymerization

does not occur.

Chemical Stability: Product is considered stable and hazardous polymerization

will not occur.

Possibility of Hazardous Reactions:No Data AvailableConditions to Avoid:No Data AvailableIncompatible Materials:No Data AvailableHazardous Decomposition Products:No Data Available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

COMPONENT NAME	CAS NO.	LD50 ORAL	LD50 DERMAL	LC INHALATION
				50
DRY PIGMENT	-	NA	NA	NA
SYNTHETIC BINDER	-	NA	NA	NA

Skin corrosion/irritation:No Data AvailableSerious eye damage/irritation:No Data Available

Respiratory or skin sensitization: Not classified (based on available data, the classification

criteria are not met)

Germ cell mutagenicity:Not classified (based on available data, the classification

criteria are not met)

Carcinogenicity: Not classified. No ingredient of this product present at levels

greater than or equal to 0.1% is identified as a carcinogen or

RiseBrite

potential carcinogen by OSHA, NTP or IARC.

Reproductive Toxicity: Not classified (based on available data, the classification

criteria are not met)

Specific target organ toxicityNot classified (based on available data, the classification

(single exposure): criteria are not met)

RiseBrite

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

Specific target organ toxicityNot classified (based on available data, the classification

(repeated exposure): criteria are not met)

Aspiration Hazards: Not classified (based on available data, the classification

criteria are not met)

Potential adverse humanBased on available data, the classification criteria are not met.

health effects and symptoms:

Symptoms/injuries after inhalation: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after skin contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after eye contact: Not classified (based on available data, the classification

criteria are not met)

Symptoms/injuries after ingestion: Not classified (based on available data, the classification

criteria are not met)

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

COMPONENT	FRESHWATER ALGAE	FRESHWATER FISH	міскотох	WATER FLEA
DRY PIGMENT	NA	NA	NA	NA
SYNTHETIC BINDER	NA	NA	NA	NA

12.2 PERSISTANCE AND DEGRADIBILITY:

No specific test data available for the mixture

12.3 BIO ACCUMULATIVE POTENTIAL:

No specific test data available for the mixture

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

Avoid release to the environment.

12.7 WATER ENDANGERMENT CLASS:

At present, there are no eco-toxicological assessments for this product.

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Chemical waste generators must determine whether a

discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete

RiseBrite

and accurate classification.

Additional Information: Handle empty containers with care. Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows;

UN Identification Number:

Proper Shipping Name:

Hazard Class Number and Description:

None

Packing Group:

None

DOT Label(s) Required:

None

None

None

Guidebook Number:

RQ Quantity: None

14.2 ENVIRONMENTAL HAZARDS:

Marine Pollutant: The components of this product are not designated by the

Department of Transportation to be Marine Pollutants (49 CFR

172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None

14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA) AND ICAO:

This product is not considered as dangerous good.

14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO):

This product is not considered as dangerous good.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR):

This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods

Budding Artists

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards,

Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000

and European Directives First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

SECTION 15: REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS
UNITED STATES	TSCA	All ingredients are listed or otherwise compliant
EUROPE	EINECS or ELINCS	All ingredients are listed or otherwise compliant
CANADA	CEPA (DSL/NDSL)	All ingredients are listed or otherwise compliant
AUSTRALIA	AICS	All ingredients are listed or otherwise compliant
JAPAN	ENCS	All ingredients are listed or otherwise compliant
SOUTH KOREA	KECI	All ingredients are listed or otherwise compliant
CHINA	IECSC	All ingredients are listed or otherwise compliant
PHILIPPINES	PICCS	All ingredients are listed or otherwise compliant

US EPA TSCA Requirements:

No data available

Canada WHMIS Confidential Business Information (CBI): No data available

US EPA SARA TITLE III Reporting and Notification Requirements:

Subject to Section 302 (TPQ):

Subject to Section 304 (RQ):

No data available

Subject to Section 311 or 312:Refer to the health and physical classifications

in section 2

Subject to Section 313: No data available

STATE REGULATORY INFORMATION: Chemicals listed below may be specifically

regulated by individual states. For details on state regulatory requirements you should

RiseBrite

contact the appropriate state agency.

SECTION 16: OTHER INFORMATION

Prepared By: Syed Muhammad Shamuel Shees (CSP, CMIOSH, MIIRSM, PE)

Date of Printing: 09-05-2020

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible

RiseBrite

According to US OSHA 29 CFR 1910.1200, CMA, ANSI, Canadian WHMIS Standards, Australian Worksafe, Japanese Industrial Standard JIS Z 7250:2000 and European Directives

First Print Date: 09-05-2020 Revision Date: 09-05-2020

Version: 0

situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary.

All health and safety information contained in this bulletin should be provided to your employees or customers. **VES Enterprises, LLC - RISEBRITE** assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, **VES Enterprises, LLC - RISEBRITE** assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.